

Telegram : "CHEST" DELHI

E-mail : admin@vpci.org.in
Telefax : +91 (011) 27666549
Phone : +91 (011) 27402400
Website : www.vpci.org.in



VALLABHBHAI PATEL CHEST INSTITUTE

University of Delhi, P.O. Box No. 2101
DELHI-110 007

VPCI/Admn.II/DRO/4/2020/९१

21.04.2020

CIRCULAR

Please find enclosed herewith the guidelines to be followed on detention of suspect/confirmed COVID-19 case in a non-COVID Health Facility issued by DGHS, Ministry of Health & Family Welfare and the role of Hospital Infection Control Committee (HICC), which is self-explanatory.

The Hospital Infection Control Committee (HICC) of the Institute is requested to take appropriate action as per the guidelines issued by the DGHS, Ministry of Health & Family Welfare.

This is being issued with the approval of the competent authority.

Joint Registrar

To,

Prof. Malini Shariff
Chairperson,
Hospital infection Control Committee,
VPCI

Copy to:-

- PS to Director - for information to the Director
- Institute's Website
- Master copy

Issued by: *MMW/4/20*
Health CS
20/4/22

**Ministry of Health & Family Welfare
Directorate General of Health Services
EMR Division**

Guidelines to be followed on detection of suspect/confirmed COVID-19 case in a non-COVID Health Facility

1. Background

There have been some instances of hospitals having closed down as few health care workers (HCW) working there turned out to be positive for COVID -19. Also some non-COVID health facilities have reported confirmation of COVID-19, in patients admitted for unrelated/non-respiratory illness, causing undue apprehension among healthcare workers, sometimes leading to impaired functionality of such hospitals.

Although Ministry of Health & Family Welfare has issued comprehensive guidance to prevent occurrence of Hospital Acquired Infection (HAI) in health facilities, the practice of universal precautions might still be lacking in many of our hospitals. A COVID-19 case with mild/asymptomatic/atypical presentation may go undetected and inadvertently transmit the infection to other patients and healthcare workers, putting these individuals at risk of contracting disease and compromise the functionality of the healthcare facility.

2. Purpose of document

This document aims to provide guidance on action to be taken on detection of suspect/confirmed COVID-19 case in a healthcare facility.

3. Scope

This document is intended for both (i) COVID-19 healthcare facilities (public and private) which are already receiving or preparing to receive suspected or confirmed COVID-19 patients as well as (ii) Non-COVID healthcare facilities.

4. Institutional arrangement

The Hospital Infection Control Committee (HICC) has well-defined composition, roles and responsibilities. This committee is responsible for establishing a mechanism for reporting of development of symptoms suggestive of COVID-19 in HCW. These include surveillance for fever/cough/breathing difficulty through either self-reporting or active and passive screening at the beginning of their shift. The Committee will also monitor patients (who have been admitted for non-COVID illness) for development of unexplained fever/cough/breathing difficulty during their stay.

HICC will ensure that existing IPC guidelines against such high risk situations must be audited, updated and reiterated to all HCW. Further, all IPC guidelines will be strictly

adhered to and followed at all times. As a matter of abundant precautions for hospitals located in proximity/catering to COVID-19 containment zone/s it might be desirable to treat all patients as suspect COVID-19 case until proven otherwise and exercise standard care.

Whenever a non-COVID patient or any healthcare workers is suspected to have COVID like symptoms/tests positive for COVID-19, the HICC will come into action, investigate the matter and suggest further course of action as described below.

4.1 Action to be taken on detection of COVID -19 case in non-COVID health facility

When a positive COVID-19 patient is identified in a health care facility, not designated as COVID-19 isolation facility:

- Inform the local health authorities about the case
- Assess the clinical status of the patient prior to referral to a designated COVID facility
- The patient should be immediately isolated to another room (if currently being managed in a shared ward/room). If the clinical condition permits, such patients should be masked and only a dedicated healthcare worker should attend this case, following due precautions.
- If the clinical status of the case permits, transfer such case to a COVID-19 isolation facility (Dedicated COVID Health Centre or dedicated COVID Hospital), informing the facility beforehand about the transfer, as per his/her clinical status, test results (if available), with information to local health authority. Complete case records of such patients must be made available to the receiving hospital.
- Follow appropriate standard precautions while transporting the patient
- This should be followed by disinfection procedures at the facility and the ambulance
- All contacts of this patient (other patients being managed in the same room or ward, healthcare workers who have attended to him/her, support staff who may have come in close contact, caretaker/visitors etc.) should be quarantined and followed up for 14 days. Their details must also be shared with the local health authorities.
- All close contacts (other HCWs and supportive staff) of the confirmed case should be put on Hydroxychloroquine chemoprophylaxis for a period of 7 weeks, keeping in mind the contraindications of HCQ.
- If a healthcare worker is suspected to have contacted the disease, the following additional action needs to be performed.

4.2 When a suspect/confirmed COVID-19 HCW is identified

- HCWs developing respiratory symptoms (e.g. fever, cough, shortness of breath) should be considered suspected case of COVID-19.
- He/she should immediately put on a facemask, inform his supervisor and HICC. He/she should be isolated and arrangement must be made to immediately refer such a HCW

to COVID-19 designated hospital (if not already working in such a facility) for isolation and further management.

- He/she should be immediately taken off the roster
- Rapidly risk stratify other HCWs and other patients that might have been exposed to the suspect HCW and put them under quarantine and follow up for 14 days (or earlier if the test result of a suspect case turns out negative). Their details must also be shared with the local health authorities.
- All close contacts (other HCW and supportive staff) of the confirmed case should be put on Hydroxychloroquine chemoprophylaxis for a period of 7 weeks, keeping in mind the contraindications of the HCQ.
- **All health facilities (HCF) must have a staffing plan in place including a contingency plan for such an event to maintain continuity of operations. E.g. staff in HCF can be divided into groups to work on rotation basis every 14 days and a group of back up staff which is pooled in case some high risk exposure/HCW with suspected COVID-19 infection is detected.**
- Ensure that the disinfection procedures are strictly followed.

Once a suspect/confirmed case is detected in a healthcare facility, standard procedure of rapid isolation, contact listing and tracking disinfection will follow with no need to shut down the whole facility.

5. Decision on further /continued use of non-COVID facilities where a single/multiple COVID-19 case has been reported

The likely scenarios could be:

- **Socio-demographic reasons:**
 - a) Hospital's catchment area is a large cluster of COVID-19.
 - b) Catchment area is having a population which has a large number of vulnerable individuals having multiple co-morbid condition, poor nutritional status and/or having individuals not able to practice social distancing e.g. slum clusters.
- **Internal Administrative Reasons:**
 - a) The health facility is not up to the mark in IPC practices.
 - b) Non-fulfilment of guidelines regarding triaging of patients in the outpatient department and emergency.

Based on the scope of the cluster and degree to which the hospital has been affected (HCW patients, and HCW contacts), degree of the risk to the patients visiting the hospital such as those with chronic diseases etc. the decision can be made based on a risk assessment to:

- If the hospital authorities are reasonably satisfied that the source case/s have been identified and isolated, all contacts have been traced and quarantined and adequate disinfection has been achieved, the hospital will continue to function.
- In addition to steps taken above, if the health facility still continues to report new hospital acquired COVID-19 cases in the following days, it would be advisable to temporarily close the defined section of the health facility where the maximum number of HAI is being reported. After thorough cleaning and disinfection it can be put to use again.
- Despite taking the above measures, if the primary source of infection could not be established and /or the hospital is still reporting large number of cases among patients and HCWs a decision needs to be taken to convert the non-COVID health facility into a COVID health facility under intimation to the local health department. In such a scenario, the entire healthcare workers of the facility should be oriented in Infection Prevention and Control practices and other protocols for which guidance is available at www.mohfw.gov.in.

6. Follow up actions

When a non-COVID health facility reports a COVID-19 case, the HICC will ensure the following in order to minimize the possibility of an undetected contact/case amongst other patients/HCWs:

- Ensure that active screening of all staff at the hospitals is done daily (by means of thermal screening especially at the start of shift)
- All healthcare and supportive staff is encouraged to monitor their own health at all the time for appearance of COVID-19 symptoms and report them at the earliest.
- Be on the lookout for atypical presentation (or clinical course) of admitted patients
- Standard precautions to be followed diligently by all
- Follow all guidelines regarding triaging of patients in hospital emergency and outpatient departments.

Helpline Number: +91-11-23978046 Toll Free : 1075 Helpline Email ID : ncov2019@gov.in (<mailto:ncov2019@gov.in>)
 States & Union Territories (View pdf) (<https://www.mohfw.gov.in/pdf/coronavirus/helpline/number.pdf>)
 Arogya Setu App (http://bit.ly/ArogyaSetu_PS) (<https://apple.co/2X1KMz0>)

COVID-19 INDIA
 as on : 21 April 2020, 08:00 GMT+5:30



Resources
 Home Data
 Graphics
<http://www.mohfw.gov.in/dashboard/index.php>

pdf/Districtreporting408.pdf)

Latest Updates

- 20.04.2020 Audio Visual on Addressing Stigma Related to COVID-19 **NEW**
<https://youtu.be/yJZ06JsREW4>
- 20.04.2020 Hon'ble HFM Letter to States/UT's regarding Blood & Blood Disorders **NEW**
<https://www.mohfw.gov.in/pdf/Hon>
- 20.04.2020 Guidelines to be followed on detection of suspect or confirmed COVID-19 case in a non-COVID Health Facility **NEW**
<https://www.mohfw.gov.in/pdf/Guid>
- 20.04.2020 Directions from Ministry of Home Affairs to State for promotion of Voluntary Blood Donation **NEW**
<https://www.mohfw.gov.in/pdf/Lett>
- 19.04.2020 Preventive Measures to be taken by officials of Ministry of Health and Family Welfare
<https://www.mohfw.gov.in/pdf/prev>
- 19.04.2020 Consolidated Revised Guidelines on the measures to be taken by Ministries/Department of Government of India, State/UT Governments for containment of Covid-19
<https://www.mohfw.gov.in/pdf/consolidatedrevis>
- 18.04.2020 Advisory on management of COVID-19
<https://www.mohfw.gov.in/pdf/consolidatedrevisedguidelines.pdf>
- 19.04.2020 Infectant on people for COVID-19
<https://www.mohfw.gov.in/pdf/consolidatedrevis>
- 18.04.2020 Webinars on COVID-19
<http://www.mohfw.gov.in/pdf/Advi>
 for physicians by AIIMS, New Delhi
<https://youtu.be/LHQ7G8MvMU>
- 18.04.2020 Modification in Medicine List in Telemedicine Practice Guidelines
<https://www.mohfw.gov.in/pdf/Moc>
- 18.04.2020 EOI cum Bid Document for Procurement of Medical Oxygen Cylinder on urgent basis during COVID 19 situation
<https://www.mohfw.gov.in/pdf/Med>
- 18.04.2020 Information for general public on use of necessary medicines for COVID19 - Audio Visual
https://youtu.be/cQB06Bbk0_A
- 18.04.2020 Information for general public on use of necessary medicines for COVID19 (Poster)
<https://www.mohfw.gov.in/pdf/HCC>
- 17.04.2020 Guidelines issued by ICMR for Rapid antibody test in Hotspot Area
<https://www.mohfw.gov.in/pdf/Prot>
- 17.04.2020 Updated Containment Plan for Large Outbreaks of COVID-19
<https://www.mohfw.gov.in/pdf/Upd>
- 16.04.2020 Webinar schedule for training of Physicians officers on COVID-19 and Mechanical Ventilation by AIIMS New Delhi
<https://www.mohfw.gov.in/pdf/Mec>