

**बिड दस्तावेज़ / Bid Document**

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	18-05-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	18-05-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Education
विभाग का नाम/Department Name	Department Of Higher Education
संगठन का नाम/Organisation Name	Delhi University
कार्यालय का नाम/Office Name	Vallabhbhai Patel Chest Institute
कुल मात्रा/Total Quantity	1
वस्तु श्रेणी /Item Category	Electrophysiology recording system along with standard accessories
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Electrophysiology recording system along with standard accessories
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Laundrometer (Wash Fastness Tester with Standard Accessories), Portable Emergency LED Lighting Tower System with Battery Bank, Tent Extendable Frame Supported 4M and 2M Complete with Accessories (V2), Portable Emergency LED Lighting Tower System with AC Generator Set, Hemodialysis Catheter Kit, Bore Gauge With Its Accessories (BHEL), Cardiac TMT Machine (V2), Yankauer Suction Set
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• EMG NCV EP Machine
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes   Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ में है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	10
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	5 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

#### ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	52500

#### ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	62
---	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

Director  
3rd Floor, Administrative Block, Deputy Registrar office, M.S. Building, Vallabhbhai Patel Chest Institute, University of Delhi, Delhi-110007  
(Director, Vpci)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता / MII Purchase Preference**

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15

सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference

25

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.

2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.  
OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

### **Electrophysiology Recording System Along With Standard Accessories ( 1 set )**

(कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### **तकनीकी विशिष्टियाँ /Technical Specifications**

क्रेता विशिष्टि दस्तावेज़ /Buyer Specification Document

[Download](#)

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar	110007,VALLABHBHAI PATEL CHEST INSTITUTE, NORTH CAMPUS, OPPOSITE SHRI RAM COLLEGE OF COMMERCE, UNIVERSITY OF DELHI	1	60

केन्द्र द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Note: Bidders are requested to fill the bid/Tender as per Tender documents number VPCI/PUR/GEM/OT/26-27/12-2/06 attached in Buyer added bid specific ATC point no. 2.

Technical Specification of **Electrophysiology recording system along with standard Accessories**

S. No.	Product Specifications
<b>Specification for Electromyogram, Nerve conduction studies, Evoked Potential along with Electric Stimulator and standard accessories</b>	
1.	<b><u>Electromyogram Amplifier Specifications:</u></b>
	Number of inputs at-least 2 Channel amplifier
	ADC should be 16 bit, 100KHZ or more per channel
	High cut filter: Selectable at 30HZ to 15 KHZ
	Low cut Filter: Selectable at 0.3HZ to 2 KHZ
	Notch Filter 50Hz, 60 Hz, or Off.

Input Impedance: 100 Ohm to 100 K Ohm.

Common Mode Rejection Ratio minimum 115 dB

Noise should be less than 0.6  $\mu$ V rms.

2. **Software Specifications:**

Electromyogram protocols should support buffer playback with audio functionality and provide unlimited buffer storage capacity.

Programmable Muscle Scoring feature with integrated EMG snapshots should be included in the generated reports.

Motor unit potential setting with Multi - Motor Unit Analysis should be there.

Interference Pattern Analysis should be included

Electromyogram Guided Injection Protocol with stimulation possibility

Nerve Conduction Studies (motor, sensory, mixed, inching)

F Wave / H Reflex analysis capabilities.

Side-to-side comparison capability for NCV, F-wave, H-reflex, and Evoked Potential studies

Blink Reflex analysis capabilities

Can perform Nociceptive Flexion Reflex study

Tremor with tremor Analysis should be provided

Can perform Repetitive Nerve Stimulation

Somatosensory Evoked Potential studies covering upper limbs, lower limbs, and dermatoma l assessments.

Autonomic Function Studies integrated assessments.

Heart Rate Variability (RR Interval) assessments

Sympathetic Skin Response (SSR) assessments

Programmable Study Lists

Quick - Report, MS Words based report generator

Automatic Findings Composer with built-in comparison to normative data.

Automated generation of interpretation for NCV, F-wave, H-reflex, EMG, and EP findings.

EP Analysis (add, subtract, average, grand average, invert) assessments.

Internal Calibration Signals functionality should be there.

Built-in Electrode Continuity Check integrated within the amplifier.

Software should be of the latest version with free upgrades for the lifetime of the system.

System should have Anatomy View: Anatomical images illustrating results can be included within the report to better communicate neurodiagnostic findings.

System should have Internal Hardware Diagnostics Suite should be available for testing the function of the amplifier, stimulator, and base unit.

3.	<p><b><u>Electrical Stimulator:</u></b></p> <p>Type: Hand- held, constant -current electrical sti- mulator with intensity dial, single repetitive, stor- e, polarity, and three user programmable buttons on handle. Includes high flex -life cable. Electrical range: 0 to 100 mA, upto 400V voltage. Resolution: minimum 0.03 mA. Safety features: Over current fault detection, Hig h Impedance detection</p>							
4.	<p><b><u>Evoked Potentials:</u></b></p> <p>Following assessments should be there:</p> <table border="1" data-bbox="375 660 1038 1355"> <tr> <td data-bbox="375 660 1038 739">Auditory Evoked Potential Protocols</td> </tr> <tr> <td data-bbox="375 739 1038 817">Click, Tones, PIP.</td> </tr> <tr> <td data-bbox="375 817 1038 929">Visual Evoked Potential Protocols and P 300, P 100.</td> </tr> <tr> <td data-bbox="375 929 1038 1008">Headphones should be provided</td> </tr> <tr> <td data-bbox="375 1008 1038 1086">Checkerboard stimulation via standard LCD monitor connected to second PC.</td> </tr> <tr> <td data-bbox="375 1086 1038 1153">Monitor port without the requirement of any external VEP hardware.</td> </tr> <tr> <td data-bbox="375 1153 1038 1355">Should include an LCD calibration sensor for the VEP LCD monitor that automatically senses the pattern-shift delay of the LCD monitor and r ecords this value in the software to get accurat e results</td> </tr> </table>	Auditory Evoked Potential Protocols	Click, Tones, PIP.	Visual Evoked Potential Protocols and P 300, P 100.	Headphones should be provided	Checkerboard stimulation via standard LCD monitor connected to second PC.	Monitor port without the requirement of any external VEP hardware.	Should include an LCD calibration sensor for the VEP LCD monitor that automatically senses the pattern-shift delay of the LCD monitor and r ecords this value in the software to get accurat e results
Auditory Evoked Potential Protocols								
Click, Tones, PIP.								
Visual Evoked Potential Protocols and P 300, P 100.								
Headphones should be provided								
Checkerboard stimulation via standard LCD monitor connected to second PC.								
Monitor port without the requirement of any external VEP hardware.								
Should include an LCD calibration sensor for the VEP LCD monitor that automatically senses the pattern-shift delay of the LCD monitor and r ecords this value in the software to get accurat e results								
5.	<p><b><u>Desktop PC System Specifications:</u></b></p> <table border="1" data-bbox="375 1433 1038 1937"> <tr> <td data-bbox="375 1433 1038 1702">One PC Should be provide with Dell/HP/Acer/ Lenovo PC with i7 13<sup>th</sup> / 14<sup>th</sup> generation, Windo ws® 11 Professional with activation Key, MS Of fice 365, 16GB RAM, 1TB SSD Hard Disk, keybo ard, Optical Mouse, 27" inch Dell/HP/Acer/Lenovo screen. (For Electromyogr am) with Laser Color Printer</td> </tr> <tr> <td data-bbox="375 1702 1038 1814">Suitable online UPS with minimum 45 minutes backup</td> </tr> <tr> <td data-bbox="375 1814 1038 1937">Operating system support should be minimu m 10 years</td> </tr> </table>	One PC Should be provide with Dell/HP/Acer/ Lenovo PC with i7 13 <sup>th</sup> / 14 <sup>th</sup> generation, Windo ws® 11 Professional with activation Key, MS Of fice 365, 16GB RAM, 1TB SSD Hard Disk, keybo ard, Optical Mouse, 27" inch Dell/HP/Acer/Lenovo screen. (For Electromyogr am) with Laser Color Printer	Suitable online UPS with minimum 45 minutes backup	Operating system support should be minimu m 10 years				
One PC Should be provide with Dell/HP/Acer/ Lenovo PC with i7 13 <sup>th</sup> / 14 <sup>th</sup> generation, Windo ws® 11 Professional with activation Key, MS Of fice 365, 16GB RAM, 1TB SSD Hard Disk, keybo ard, Optical Mouse, 27" inch Dell/HP/Acer/Lenovo screen. (For Electromyogr am) with Laser Color Printer								
Suitable online UPS with minimum 45 minutes backup								
Operating system support should be minimu m 10 years								
6.	<p><b><u>Standard Accessories:</u></b></p>							

	Electromyogram paste Ten-20- 20 Nos. (228 gms)
	Prepping gel- 10 Tubes (140gms)
	Nerve conduction studies and Evoked Potential gold plated electrodes - 50 Nos.
	One Needle holder, 37/38 mm Electromyogram needle - 25 Nos.
	One plate ground electrode, One pair ring electrode for sensory assessment
	Standard Cart with Isolation Transformer for Electromyogram.
7.	ISO 13485 Certificate for quality assurance manufacturer should be submitted
8.	Necessary certificate for safe use for human like IEC/CE & USFDA, Declaration of conformity/BIS & CDSCO
9.	Warranty: Five Years Comprehensive warranty
10.	Mandatory demonstration and training.

## 2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).

2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---